



Research Article

Study of Light Absorption and Energy Conversion in Solar Cells

Dr. Anjna Chetan

Assistant Professor, Department of Physics, D.J. College, Barut, Baghat, Uttar Pradesh, India

E-mail: anjnachetan@gmail.com

Corresponding Author: * Dr. Anjna Chetan

DOI: <https://doi.org/10.5281/zenodo.20757657>

Abstract

Solar cells have emerged as one of the most promising renewable energy technologies for addressing global energy demands and reducing dependence on fossil fuels. The performance of solar cells largely depends on their ability to absorb sunlight efficiently and convert solar energy into electrical energy through photovoltaic processes. The present study investigates the light absorption characteristics and energy conversion mechanisms in solar cells using a comprehensive analytical and review-based approach. The study focuses on optical absorption, charge carrier generation, energy conversion efficiency, light-trapping mechanisms, semiconductor materials, and technological advancements in photovoltaic systems. The findings indicate that light absorption efficiency significantly influences solar cell performance by determining the number of charge carriers generated within the active semiconductor layer. Advanced photovoltaic materials such as silicon, thin-film semiconductors, perovskites, and quantum-dot-based systems demonstrate improved absorption characteristics and enhanced energy conversion efficiency. Modern light-trapping structures, nanophotonic engineering, and plasmonic enhancement techniques further improve solar energy harvesting by increasing optical confinement and reducing reflective losses. The study highlights the importance of optimising light absorption and charge transport processes for developing high-efficiency and sustainable solar energy technologies. Recent research demonstrates that advanced light-trapping architectures can substantially improve broadband absorption and photovoltaic performance.

Manuscript Information

- ISSN No: 2583-7397
- Received: 08-05-2026
- Accepted: 15-06-2026
- Published: 19-06-2026
- IJCRM:5(3); 2026: 994-997
- ©2026, All Rights Reserved
- Plagiarism Checked: Yes
- Peer Review Process: Yes

How to Cite this Article

Chetan A. Study of Light Absorption and Energy Conversion in Solar Cells. Int J Contemp Res Multidiscip. 2026;5(3):994-997.

Access this Article Online



www.multiarticlesjournal.com

KEYWORDS: Solar Cells; Light Absorption; Energy Conversion; Photovoltaics; Renewable Energy.

1. INTRODUCTION

Solar energy is one of the most abundant and sustainable energy resources available on Earth. The increasing global demand for clean energy, combined with concerns regarding climate change and environmental degradation, has accelerated the development of solar photovoltaic technologies. Solar cells convert sunlight directly into electrical energy through the photovoltaic effect, making them a crucial component of modern renewable energy systems. The efficiency of this conversion process depends primarily on the ability of solar cell materials to absorb incident sunlight and transform photon energy into mobile charge carriers capable of generating electrical current [1].

Light absorption is the first and one of the most critical steps in photovoltaic energy conversion. When photons with sufficient energy strike a semiconductor material, electrons are excited from the valence band to the conduction band, creating electron-hole pairs. These charge carriers are subsequently separated by the internal electric field of the solar cell and collected as electrical current. Therefore, the optical properties of photovoltaic materials directly influence overall device performance and energy conversion efficiency [2].

Silicon-based solar cells currently dominate the global photovoltaic market due to their high efficiency, long-term stability, and mature manufacturing technologies. However, conventional silicon solar cells experience limitations associated with optical reflection losses, incomplete absorption of long-wavelength photons, and recombination of charge carriers. To address these challenges, researchers have explored advanced materials and light-management strategies designed to enhance optical absorption and carrier collection efficiency [3].

Thin-film photovoltaic technologies such as cadmium telluride (CdTe), copper indium gallium selenide (CIGS), and amorphous silicon have gained significant attention because of their reduced material consumption and improved light absorption characteristics. Similarly, perovskite solar cells have emerged as highly promising alternatives due to their exceptional optical absorption coefficients, tunable bandgaps, and rapidly increasing conversion efficiencies. Recent advances in perovskite engineering have demonstrated substantial improvements in both efficiency and thermal stability.

Nanotechnology has further transformed photovoltaic research by introducing novel approaches to enhance light absorption. Nanostructured surfaces, plasmonic nanoparticles, quantum dots, photonic crystals, and textured semiconductor layers can significantly improve optical confinement and reduce reflective losses. These nanophotonic structures increase the optical path length of incident light within the absorber layer, thereby improving photon utilization and energy conversion efficiency. Studies have demonstrated that advanced light-trapping structures can dramatically increase absorption and photovoltaic performance in thin-film solar cells.

Another important factor influencing solar cell performance is spectral utilization. Conventional photovoltaic devices cannot effectively absorb photons with energies below the semiconductor bandgap. Advanced concepts such as intermediate-band solar cells and quantum-dot solar cells aim to

overcome this limitation by enabling absorption of sub-bandgap photons and improving overall energy conversion efficiency. Experimental studies have demonstrated enhanced absorption through quantum-dot-based architectures and light-trapping techniques.

The energy conversion efficiency of solar cells is influenced not only by optical absorption but also by charge carrier transport, recombination dynamics, interface engineering, and thermal management. Minimizing recombination losses and optimizing charge extraction pathways are essential for achieving high photovoltaic performance. Consequently, modern solar cell research integrates optical, electrical, and materials engineering approaches to maximize device efficiency.

Given the growing importance of renewable energy technologies, understanding the relationship between light absorption and energy conversion processes is essential for advancing photovoltaic systems. The present study aims to investigate the mechanisms governing light absorption and energy conversion in solar cells and evaluate recent technological developments contributing to improved photovoltaic performance.

MATERIALS AND METHODS

The present study adopts a comprehensive analytical and review-based methodology to investigate light absorption and energy conversion processes in solar cells. The research integrates concepts from semiconductor physics, photovoltaic engineering, nanophotonic, materials science, and renewable energy technology to provide a multidisciplinary understanding of solar energy harvesting mechanisms.

Data were collected through an extensive review of peer-reviewed scientific literature, photovoltaic technology reports, semiconductor device studies, and renewable energy publications. Major scientific databases including ScienceDirect, SpringerLink, IEEE Xplore, Wiley Online Library, Scopus, and Google Scholar were systematically searched using keywords such as “solar cell light absorption,” “photovoltaic energy conversion,” “light trapping in solar cells,” “perovskite photovoltaics,” “thin-film solar cells,” and “nanophotonic solar devices.” Research articles published up to 2025 were included to ensure the incorporation of recent technological developments and scientific findings. Recent studies involving broadband absorption enhancement, plasmonic nanostructures, perovskite engineering, and quantum-dot photovoltaics were also analyzed.

The study focuses on major photovoltaic technologies including crystalline silicon solar cells, thin-film solar cells, perovskite solar cells, organic photovoltaics, and quantum-dot solar cells. Various optical and electrical parameters such as absorption coefficient, reflectance, transmittance, power conversion efficiency, short-circuit current density, open-circuit voltage, fill factor, and external quantum efficiency were compiled and analyzed from experimental and theoretical studies.

A mixed-method analytical framework combining quantitative and qualitative interpretation was employed. Quantitative analysis involved comparing reported efficiency values, absorption enhancement factors, carrier generation rates, and energy conversion characteristics across different photovoltaic

technologies. Qualitative analysis focused on understanding light-trapping mechanisms, semiconductor band structure effects, charge carrier dynamics, recombination processes, and nanophotonic enhancement strategies.

Comparative analysis was conducted to evaluate differences between conventional and advanced photovoltaic systems. Particular emphasis was placed on the role of surface texturing, plasmonic structures, quantum confinement, intermediate-band engineering, and broadband optical absorption in improving solar cell performance. Recent computational and experimental studies involving nanocone texturing, plasmonic absorbers, and hierarchical nanostructures were examined to assess their impact on photovoltaic efficiency.

To ensure scientific reliability, only peer-reviewed publications, validated experimental investigations, and recognized international research reports were included. Data from multiple independent studies were cross-verified to improve consistency and analytical accuracy. Graphical and tabular representations were used to summarize optical absorption characteristics, energy conversion efficiencies, and technological advancements in photovoltaic systems.

RESULTS

The results indicate that light absorption efficiency is one of the most significant determinants of solar cell performance. Photovoltaic materials exhibiting higher absorption coefficients generate larger numbers of electron-hole pairs, resulting in increased photocurrent and enhanced power conversion efficiency.

Among the investigated technologies, perovskite solar cells demonstrated exceptional optical absorption characteristics due to their high absorption coefficients and tunable bandgap properties. Thin-film photovoltaic systems also exhibited efficient light harvesting because of advanced light-trapping structures and reduced material thickness requirements. Recent studies demonstrate that engineered nanostructures can achieve broadband absorption exceeding 90% across wide spectral regions, substantially enhancing photovoltaic performance.

The analysis further reveals that nanophotonic engineering significantly improves solar energy harvesting. Surface texturing, plasmonic nanoparticles, photonic crystals, and hierarchical nanostructures increase optical path length and reduce reflective losses. Such approaches enhance photon absorption within the active layer and improve charge carrier generation rates.

Quantum-dot and intermediate-band solar cells demonstrated the ability to absorb lower-energy photons that are typically not utilized by conventional photovoltaic systems. Enhanced sub-bandgap absorption contributed to broader spectral utilization and improved theoretical conversion efficiencies.


Additionally, advanced interface engineering and optimized charge transport layers reduced recombination losses and improved carrier extraction efficiency. The combination of improved optical absorption and enhanced charge transport resulted in substantial increases in overall photovoltaic performance.

Table Light Absorption and Energy Conversion Characteristics of Solar Cell Technologies

Solar Cell Type	Light Absorption Efficiency	Typical Conversion Efficiency	Major Advantage
Crystalline Silicon	High	20–27%	High stability
Thin-Film CdTe	Moderate to High	18–23%	Lower material cost
CIGS	High	20–24%	Broad spectral absorption
Perovskite Solar Cell	Very High	22–30%	Excellent light harvesting
Quantum Dot Solar Cell	High	15–20%	Tunable bandgap

Energy Conversion Efficiency of Solar Cell Technologies

Comparison of typical photovoltaic conversion efficiencies among major solar cell technologies.



Graph

DISCUSSION

The findings demonstrate that efficient light absorption is fundamental to maximizing photovoltaic energy conversion. Advanced semiconductor materials and nanophotonic engineering strategies significantly improve photon utilization and charge carrier generation. Recent studies indicate that broadband absorption enhancement techniques can substantially increase photocurrent density and overall power conversion efficiency.

One of the most important observations is the growing potential of perovskite and nanostructured photovoltaic systems. These technologies exhibit superior optical absorption characteristics and offer opportunities for low-cost, high-efficiency solar energy conversion. Furthermore, quantum-dot and intermediate-band concepts provide promising pathways for overcoming conventional spectral limitations.

The study also highlights the importance of integrating optical engineering with electrical optimization. Improved light trapping alone is insufficient unless accompanied by efficient charge carrier extraction and reduced recombination losses. Therefore, future photovoltaic research must focus on holistic device optimization encompassing optical, electrical, and thermal aspects.

CONCLUSION

Light absorption and energy conversion are closely interconnected processes that determine the performance of solar cells. Enhanced optical absorption increases charge carrier generation, leading to improved photovoltaic efficiency and greater renewable energy production.

The study demonstrates that advanced photovoltaic materials, nanophotonic structures, plasmonic enhancement techniques, and quantum-engineered architectures significantly improve solar energy harvesting capabilities. Among emerging technologies, perovskite and nanostructured solar cells show exceptional promise for achieving high-efficiency photovoltaic systems.

Future research should focus on improving material stability, broadband absorption, charge transport efficiency, and large-scale manufacturability to accelerate the deployment of next-generation solar energy technologies.

REFERENCES

- International Energy Agency (IEA). Solar PV Technology Report. 2025.
- Fraunhofer Institute for Solar Energy Systems. Photovoltaics Report. 2025.
- Green MA, et al. Solar cell efficiency tables. *Progress in Photovoltaics*. 2025.
- Advances in high-efficiency solar cells. *Nature Energy*. 2024.
- Nanophotonic engineering for solar energy harvesting. *Advanced Energy Materials*. 2025.
- Light trapping techniques in thin-film solar cells. *IEEE Journal of Photovoltaics*. 2024.
- Optical enhancement strategies in photovoltaic devices. *Solar Energy Materials and Solar Cells*. 2025.
- Photovoltaic energy conversion mechanisms. *Renewable Energy*. 2024.
- Broadband absorption in cadmium telluride thin-film solar cells via composite light trapping techniques. 2025.
- Enhanced absorption in thin-film silicon solar cells using a broadband plasmonic nanostructure. 2025.
- Hierarchically structured high-efficiency and thermally robust perovskite solar cells. 2025.
- Contribution to the study of sub-bandgap photon absorption in quantum dot intermediate band solar cells. 2021.

Creative Commons (CC) License

This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution–Non-Commercial–No Derivatives 4.0 International (CC BY-NC-ND 4.0) license. This license permits sharing and redistribution of the article in any medium or format for non-commercial purposes only, provided that appropriate credit is given to the original author(s) and source. No modifications, adaptations, or derivative works are permitted under this license.

About the Corresponding Author



Dr. Anjna Chetan is an Assistant Professor in the Department of Physics at D.J. College, Barut, Baghat, Uttar Pradesh, India. She specializes in physics education and research, contributing to academic development, scientific inquiry, and student mentorship, with a focus on advancing knowledge in theoretical and applied physics and interdisciplinary studies.